



F O O D s e r v i c e™
E Q U I P M E N T M A R K E T I N G

DELIVERY ESSENTIALS 2025

Pro Cart Ultra™ Pan Carriers

Plug into the future of insulated transportation with the new Pro Cart Ultra. Hot and cold holding in the same energy-efficient cart at the same time. Power ON, set the Temp and Go!

FOR
PASSIVE MODELS
& FULL RANGE
VISIT FEM.CO.UK

new



INTUITIVE
TOUCHSCREEN
DISPLAY

DURABLE,
HEAVY-DUTY
STAINLESS STEEL
HINGE

HEAVY-DUTY
6" NYLON
CASTERS, TWO
WITH TOTAL
LOCKING PIN

SAVE UP TO 30% ON
ENERGY COST VS.
OTHER ELECTRIC
CABINETS

ERGONOMIC
MOULDED-IN HANDLES
FOR EASE OF
MANOEUVRING

NYLON
PADDLE-STYLE
LATCHES

SPRING-LOADED
MAGNETIC DOOR
CATCH ALLOWS YOU
TO CLOSE THE DOOR
HANDS-FREE

Pro Cart Ultra™ Pan Carriers Also suitable for use with 1/2 and 1/3 gastronorm pan sizes, pan capacities will vary to those below.

CODE	DESCRIPTION	CAPACITY	POWER	W X D X H
PCU1000HHUK	2 active hot compartments	14 x 1/1 D65mm	1.02kw	559 x 864 x 1702mm
PCU1000HCUK	1 active hot compartment (top) 1 active cold compartment (bottom)	14 x 1/1 D65mm	0.9kw	559 x 864 x 1702mm
PCU1000CCUK	2 active cold compartments	14 x 1/1 D65mm	0.7kw	559 x 864 x 1702mm
PCU2000HHUK	2 active hot compartments	28 x 1/1 D65mm	1.02kw	762 x 965 x 1727mm
PCU2000HCUK	1 active hot compartment (top) 1 active cold compartment (bottom)	28 x 1/1 D65mm	0.9kw	762 x 965 x 1727mm
PCU2000CCUK	2 active cold compartments	28 x 1/1 D65mm	0.7kw	762 x 965 x 1727mm

HOT MODULE

- Safely maintain food temperatures between 65.6°C to 73.9°C with gentle, non-radiant heat.
- Adjustable temperature from 21°C to 85°C.
- Heats from room temperature to 73.9°C in 15 minutes.
- 20 second recovery time.*



COLD MODULE

- Thermoelectric cooling technology is safe for transport.
- Cools down to 0.28°C without a compressor.
- Adjustable temperature from 0.28°C to 21°C.
- 23 second recovery time.*



*AVERAGE RECOVERY TIME BASED ON AMBIENT TEMPERATURE OF 23.33°C, EMPTY COMPARTMENTS - DOOR OPEN FOR 30 SECONDS.

PASSIVE MODULES
ALSO AVAILABLE

Additional Hot Module

PCMHX 1 Required per compartment

Additional Cold Module

PCMXX 1 Required per compartment

Electric Ultra Pan Carrier®



BUILT-IN THERMOMETER

NON-CORROSIVE HEATING UNIT MAINTAINS A SAFE TEMPERATURE RANGE OF 65°-74°C

MOULDED HANDLES WON'T BREAK OFF BELOW REMOVABLE CORD STOWS SECURELY FOR TRANSPORT

SINGLE 230MM NYLON LATCH PROVIDES QUICK AND SECURE OPENING AND CLOSING

VENT CAP EQUALISES PRESSURE AND RELEASES STEAM

TOUGH POLYETHYLENE EXTERIOR STAYS COOL TO THE TOUCH BELOW THICK FOAM INSULATION RETAINS TEMPS FOR HOURS EVEN WHEN UNPLUGGED

H-Series Ultra Pan Carrier® Electric pan carrier extends hot food holding time and ensures food safety.

CODE	CAPACITY	POWER	W x D x H
UPCH4002	6 x 1/1 GN D65mm	0.265kw	460 x 670 x 630mm
UPCH8002	12 x 1/1 GN D65mm	0.53kw	520 x 690 x 1372mm
UPCH16002	24 x 1/1 GN D65mm	1.01kw	715 x 820 x 1350mm

H-Series Accessories

CODE	DESCRIPTION	W x D x H
CD400	Camdolly*	530 x 710 x 230mm
400STP	Strap for UPCH4002	L500mm

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- Gentle 71°C heat maintains food moisture.
- 45-minute preheat time from room temperature.
- 90-second recovery after the door is opened and closed.
- Uses less energy than three standard 100-watt light bulbs.
- Transports on castors or CD400 Camdolly®.



Insulated Ultra Camcarts®

- Double-compartment, high-capacity carts hold and transport food.
- Tough, polyethylene shell and thick foam insulation.
- Airtight removable gaskets maintain safe food temperatures for hours.
- Durable nylon door latches open easily and close securely.
- Doors open 270°C for easy loading and unloading.
- Moulded-in handles ensure easy manoeuvring.
- Mounted on wheels.
- 12 rails support gastronorm food pans and trays.
- Vent cap to equalise internal pressure and check temperature.



Insulated Ultra Camcarts® Hold and transport gastronorm food pans.

CODE	CAPACITY	W x D x H
UPC600	8 x 1/1 GN D65mm	520 x 690 x 1145mm
UPC800	12 x 1/1 GN D65mm	520 x 690 x 1370mm

CODE	CAPACITY	W x D x H
UPC1200	16 x 1/1 GN D65mm	725 x 820 x 1160mm
UPC1600	24 x 1/1 GN D65mm	715 x 820 x 1350mm



For list prices please visit fem.co.uk

CAMBRO
TRUSTED DURABILITY

Five Steps for Peak Performance

- 1 Ensure all parts are operational
- 2 Preheat or pre-chill
- 3 Use shallow pans and cover whenever possible
- 4 Minimise door opening and closing
- 5 Minimise empty space



Temperature Maintenance



CAMCHILLER®

CAMWARMER®

THERMOBARRIER®

Camchiller®

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 5°C when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.

CODE	DESCRIPTION	W X D X H
CP3253	GN Full Size	330 x 530 x 38mm
CP1210	GN Half Size	264 x 324 x 38mm

Camwarmer®

- Use for added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 65°C when frequent access is required.

CODE	DESCRIPTION	W X D X H
1210PW	For 400/600/800 models	275 x 340 x 40mm

Thermobarrier®

- A highly valuable yet economical temperature maintenance tool for caterers.
- Use to minimise empty space and food temperature loss within a partially loaded compartment.

CODE	DESCRIPTION	W X D X H
300DIV	For UPC600	330 x 530 x 25mm
400DIV	For UP400/UPC800	330 x 540 x 25mm
1200DIV	For UPC1200	335 x 530 x 35mm
1600DIV	For UPC1600	335 x 530 x 38mm

Insulated Top Loading Camcarriers®

- Durable polypropylene construction.
- Polyurethane injected foam insulated.
- Built-in seal and wide nylon latches for better temperature retention.
- Moulded-in handles on all four sides.
- Stackable.
- Transport full or fractional GN food pans.
- Lightweight.
- Interlock and stack to ease transporting and maximise storage space.

S-Series Camcarriers® Available in various colours.

CODE	CAPACITY	W x D x H
A UPCS140	1/1 GN - D100mm	640 x 435 x 220mm
B UPCS160	1/1 GN - D150mm	640 x 435 x 260mm
C UPCS180	1/1 GN - D200mm	640 x 435 x 305mm

S-Series Accessories

CODE	DESCRIPTION
D CD160	Camdolly* to suit Camcarriers



Insulated Beverage Containers

- One-piece polyethylene body.
- Polyurethane foam insulated.
- Moulded-in handles.
- Nylon latches.
- Vent cap to equalise internal pressure and check temperature.
- Interlock and stack to ease transporting and maximise storage space.

Ultra Camtainers® Available in various colours.

CODE	CAPACITY	CUPS	W x D x H
E UC250	10.4L	50	300 x 425 x 500mm
F UC500	19.9L	94	300 x 425 x 680mm
UC1000	39.7L	192	415 x 520 x 655mm



Soup Camtainer®

Soup Camtainer® Available in various colours.

CODE	CAPACITY	CUPS	W X D X H
G 350LCD	12.7L	60	230 x 420 x 470mm



Insulated Front Loading UPC300

- Holds 3 full-size 10 cm deep GN pans or a combination of 1/2 and 1/3 size pans.
- Seamless one-piece construction for ultimate durability.
- Thick insulation throughout safely keeps cold food below 4°C, hot food above 65°C for 4+ hours.
- Gasketless, self-venting door is fully removable for thorough cleaning.
- Built-in door seal supports safe temperature holding.
- Labelling area on door for adhering ID or routing labels.
- Interstacks with all existing 300MPC and 1318MTC carriers.



Insulated Front Loading UPC300

CODE	CAPACITY	W x D x H
UPC300	3 x 1/1 GN D100mm	432 x 654 x 568mm

S-Series Ultra Pan Carrier®

- Ultra dependable, ultra-durable front-loading pan carrier.
- Holds multiple pans of hot or cold food for hours.
- Rugged polyethylene construction, will never rust, peel, chip or break.
- Built-in seal and vent ease cleaning and reduce replacement parts.
- Built-in menu clip offers quick content labelling and identification.
- Unbreakable, ergonomic, moulded-in handles for comfortable carrying.
- Single, 230 mm latch provides quick and secure opening and closing.
- Fits on CD400 Camdolly, or optional castor kit available.



S-Series Ultra Pan Carrier® Hold and transport gastronorm food pans.

CODE	CAPACITY	W x D x H
A UPCS400	6 x 1/1 GN D65mm	460 x 635 x 630mm

S-Series Accessories

CODE	DESCRIPTION	W x D x H
CD400	Camdolly®	530 x 710 x 230mm
UPCS400CK	Optional castor kit	Ø127mm


**TWO UNITS STACKED
ONE ON CASTORS**

Cam GoBox™ Insulated Carriers

- Ultra-lightweight transporters that offer superior temperature retention to protect food safety and excellent durability to withstand heavy commercial use.
- Lightweight – Made of EPP (Expanded Polypropylene) – an eco-friendly, high-performance foam material.
- Thermal Insulation – Holds hot or cold food safely for many hours.
- Great structural Strength – capable of hanging significant loads while maintaining its shape and form.
- Excellent Energy Absorption – can withstand substantial impact without damage.
- Chemically Inert – unaffected by oil, grease and most chemicals.
- Designed to hold 1/1 pans along with Camwarmers or Camchillers. Line your Cam GoBox with a Cambro GN Food Pan and Seal Cover for the ultimate food-safe solution.
- Dishwasher safe.
- Built-in label area keeps plastic menu tags in place for easy content identification or routing.
- Cam GoBoxes inter-stack and also stack with major competitive brands.
- CFC-Free.
- 100% Recyclable.



4-Sided Handling – Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.



Drip-Resistant – Built-in condensation barrier helps front loaders to remain drip-resistant.



Easy Identification – A built-in label area keeps plastic menu tags in place.



Easy Loading & Unloading - Interior walls recess making loading and unloading pans easy.



Full 270° Access – Durable hinges and latches allow door to remain securely open at the side for easy access.



Accessories - Various accessories available to assist holding times.

Temperature Tools



Camchillers are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.



Camwarmers are designed to extend the hot holding time of your food. Place in a hot water bath for 35 minutes and place at the bottom of your carrier.

ACCESSORIES
ALSO AVAILABLE



Thermobarriers are designed to keep hot or cold air concentrated within your front-loading carrier. As food pans are removed, use the Thermobarrier to close up any space created.

Cam GoBox™ Insulated Carriers

GN Front Loader

CODE	CAPACITY	W X D X H
A EPP300	4 x 65mm 1/1 GN Pan (60L)	440 x 640 x 475mm
B EPP400	6 x 65mm 1/1 GN Pan (86L)	440 x 640 x 625mm

Bakery Front Loaders

CODE	CAPACITY	W X D X H
EPP4060F6R	6 x Baking Pans (60 x 40cm) (126L)	540 x 770 x 687mm
EPP4060F9R	9 x Baking Pans (60 x 40cm) (126L)	540 x 770 x 687mm

GN Top Loader

CODE	CAPACITY	W X D X H
EPP260	15cm 1/2 GN Pan (16.9L)	330 x 390 x 257mm
EPP280	20cm 1/2 GN Pan (22.3L)	330 x 390 x 316mm
C EPP160	15cm 1/1 GN Pan (35.5L)	600 x 400 x 257mm
EPP180	20cm 1/1 GN Pan (46L)	400 x 600 x 316mm
EPP4060T200	20cm 40 x 60cm Crates (53L)	690 x 490 x 270mm
D EPP4060T300	30cm 40 x 60cm Crates (80L)	690 x 490 x 370mm



Cam GoBox™ Top Loader with Flip Lid

- Access only the items you need while keeping the contents of your GoBox secure.
- Flip the lid to stock or serve, then seal to hold safe temperatures for 4+ hrs.
- Protect against contaminants and temperature loss.

Top Loader with Flip Lid

CODE	DESCRIPTION	W x D x H
EPP180FL	GoBox with Flip Lid (46L)	400 x 600 x 316mm
EPPFLID	Flip Lid Only	400 x 600 x 40mm



Cam GoBox™ Large Handle Top Loader

- Ergonomic comfort handles allow easy and safe lifting of heavier loads.
- Recessed interior walls for easy loading and unloading.
- Straight interior walls allow room for stacking pans inside.
- Optional accessories available.

GN Large Handle Top Loader

CODE	CAPACITY	W x D x H
EPP180LH	20cm 1/1 GN Pan (46L)	400 x 680 x 321mm



Cam GoBox™ Top-Loading Pizza Carriers'

- Available in four different heights that hold from 2 to 8 pizzas.
- Vent releases steam to keep crust crispy.
- Holds 33 x 33cm pizza boxes.
- 4+ hours temperature retention.

Top-Loading Pizza Carriers

CODE	DESCRIPTION	CAPACITY	W x D x H
A EPPZ35100	WITHOUT STRAP	2 Pizzas	410 x 410 x 174mm
EPPZ35175RST	RED STRAP	4 Pizzas	410 x 410 x 249mm
B EPPZ35265RST	RED STRAP	6 Pizzas	410 x 410 x 339mm
EPPZ35330RST	RED STRAP	8 Pizzas	410 x 410 x 404mm



Multi-purpose Top Loader

- Designed to hold disposable dishware or 5L Gelato pans.
- Recessed handles for easy transportation.

Multi-purpose Top Loader

CODE	CAPACITY	W x D x H
C EPP180X	41L	430 x 610 x 270mm
EPP180XL	50.5L	430 x 610 x 320mm
EPP180XLT	64.5L	430 x 610 x 390mm



Beverage Carrier with Carrying Strap

Beverage Carrier with Carrying Strap Designed to hold 12 x 750ml wine bottles or 12 x 1.5L plastic bottles.

CODE	DESCRIPTION	CAPACITY	W x D x H
EPPBEVRDST	Red Strap	35L	335 x 420 x 420mm



EPP Meal Delivery Solution

Single-Serve Meal Delivery Solution Single-serve meal box with separate compartments to hold hot and cold foods at safe temperature for approximately 1 hour. Lightweight, stackable and dishwasher safe.

CODE	DESCRIPTION	W x D x H
EPPMD4835	4 Compartment Cam GoBox	350 x 480 x 167mm



Cam GoBox™ Beverage Holder

Cam GoBox™ Beverage Holder Maintains hot or cold drink temperatures for 3 hours.

CODE	DESCRIPTION	DRINK CAPACITY
A EPPBEVH1	Single Holder	3
EPPBEVH2	Set of 2 Holders	6
EPPBEVH5	Set of 5 Holders	15



Accessories

Cam Go Heat Warms to 75°C in just 10 minutes. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

CODE	DESCRIPTION
B CGH200WUK	Camwarmer for GN 1/1 GoBoxes



Temperature Maintenance

CODE	DESCRIPTION
C HP3253	Camwarmer for GN 1/1 GoBoxes
HP2632	Camwarmer for GN 1/2 GoBoxes
CP3253	Camchiller for GN 1/1 GoBoxes
CP2632	Camchiller GN 1/2 GoBoxes
EPP3253DIV	Thermobarrier Fits EPP300 & EPP400
D EPPCTS	Camchiller Insert Fits EPP180, EPP180S
EPPCTL	Camchiller Insert Fits EPP180LH



Accessories

CODE	DESCRIPTION
E CD3253EPP	Camdolly fits GN 1/1 GoBoxes
CD4060EPP	Camdolly fits 4060 Bakery GoBoxes
F EPP3253LID	Colour Lid for EPP180, EPP180S, EPP160
G EPPID5	ID Clips fit all GoBoxes'



Economy Delivery Bags

Pizza Delivery Bags

- Reinforced handles for ease of transport.
- Thermal insulation to maintain temperature.
- Hanging band and transparent pocket.
- Thick, sturdy and easy to clean material.

Pizza Delivery Bags

CODE	DESCRIPTION	COLOUR	W X D X H
A 99020	Medium Pizza Bag	Red	450 x 450 x 160mm
99021	Large Pizza Bag	Red	495 x 495 x 260mm



Catering Delivery Bags

- Thermal insulation to preserve temperature.
- Easy to clean waterproof interior.
- Thick and resistant material.
- Transparent pocket and reinforced handles for easy transport.

Catering Delivery Bags

CODE	DESCRIPTION	COLOUR	W X D X H
99030	Small Catering Bag	Black	380 x 305 x 380mm
B 99031	Large Catering Bag	Black	560 x 360 x 360mm



GoBag™ Delivery Bags

Pizza GoBags™

- Thick, sturdy 600-denier polyester fabric.
- Breathable material protects food quality.
- High-density insulation for superior temperature retention.
- Heavy-duty, sewn-in nylon straps and carry handle.
- Heavy-duty ticket pouch.
- Machine washable.
- Lightweight for easy carrying.
- Black as standard, red available to order on certain models.

Standard Pizza Bags

CODE	DESCRIPTION	INTERIOR	W X D X H
C GBP216	2 x 16" or 3 x 14" pizzas	NYLON	420 x 457 x 165mm
D GBP318	3 x 18" or 4 x 16" pizzas	NYLON	445 x 508 x 191mm
GBP518	5 x 18" or 6 x 16" pizzas	NYLON	495 x 495 x 318mm
GBP220	2 x 20" or 3 x 18" pizzas	NYLON	527 x 552 x 165mm



Catering GoBags™

- Breathable material protects food quality by controlling moisture and odours.
- Extra strength high-density insulation keeps food hot or cold during holding or delivery.
- Thick, sturdy nylon fabric.
- Heavy-duty, sewn-in straps are strong enough to handle heavy loads.
- Multiple pockets designed to hold receipts, coupons, condiments etc.

BLACK AS STANDARD,
RED AVAILABLE TO
ORDER ON CERTAIN
MODELS



Folding Catering Bags

CODE	DESCRIPTION	COLOUR	INTERIOR	W X D X H
GBD101011	Small Folding Delivery Bag	Black	Vinyl	255 x 255 x 280mm
A GBD121515	Medium Folding Delivery Bag	Black	Vinyl	305 x 380 x 380mm
B GBD211417	Large Folding Delivery Bag	Black	Vinyl	535 x 355 x 430mm

Standard Catering Bags

CODE	DESCRIPTION	COLOUR	INTERIOR	W X D X H
C GBD13913	Small Top Loading Delivery Bag	Black	Vinyl	330 x 230 x 330mm
GBD151212	Sandwich Bag	Black	Nylon	380 x 305 x 305mm
D GBD211414	Large Delivery Bag for 1/1 pans	Black	Vinyl	533 x 355 x 355mm

GoBag™ Delivery Backpacks

- Durable, waterproof design wipes clean.
- Maintains safe temperatures and food quality.
- Comfortable and secure to wear walking or biking.
- Easily separate menu items with the included divider.
- Designed with a front zipper for easy loading and unloading.
- Padded shoulder straps can be adjusted for comfort.
- Includes 2 buckles + hook/loop fastener to close.
- Features side mounted straps for hand carrying.
- Folds for compact storage between use.



GoBag™ Delivery Backpacks

CODE	DESCRIPTION	W X D X H
A GBBP111417	Small Delivery Backpack	279 x 355 x 430mm
B GBBP151417	Large Delivery Backpack	381 x 355 x 430mm

Premium Delivery Bags



Maintain temperature longer to maximise food quality

- Moisture-resistant outer shell.
- Foil liner insulating and directing hot and cold temps.
- Thick poly batting insulation on all sides.

Durable construction for longevity and to protect contents

- Sturdy floor bottoms to ensure stability.
- Heavy-duty handles and webbing for strength and comfort.
- Reinforced stitching for superior strength and durability.

Driver safety and comfort

- Reflective piping for safer night time delivery.
- Double handles and longer, heavy-duty shoulder straps.

Convenient storage and handling

- Bags and wire inserts fold easily for storage.
- Vinyl liners for fast and easy clean-up.
- Hanging loop for drying.



Catering Delivery Bags

- Removable spill liner for easy clean up.
- Durable pan separators provide additional support for stacking pans.
- Reinforced side handles for easy lifting (large size).

Pizza Delivery Bags

- Heavy-duty locking clips to keep product secure.
- Unique anchor strap to secure bag to a bike tray or for hanging.
- Extra handle for stabilisation when unloading.

Catering Delivery Bags

CODE	DESCRIPTION	CAPACITY	W X D X H
VDBM300	Medium Catering Bag with Vinyl Liner	2 x ½ GN 100mm	432 x 330 x 229mm
VCBL300	Large Catering Bag with Removable liner & Pan Separators	3 x 1/1 GN 100mm	381 x 584 x 356mm

Pizza Delivery Bags

CODE	DESCRIPTION	CAPACITY	W X D X H
VPB316	16" Pizza Bag	4 x 14" or 3 x 16" Pizzas	445 x 445 x 229mm
VPB318	18" Pizza Bag	4 x 14/16" or 3 x 18" Pizzas	483 x 483 x 229mm

Delivery Tower Bag

- Adjustable heavy-duty carry and backpack straps.
- Knock-down design for easy storage.
- Anchor strap to secure bag - ideal for bike and scooter delivery.
- Headrest strap.
- Metal steam exhaust port releases moisture without releasing heat.



Delivery Tower Bag

CODE	DESCRIPTION	W x D x H
VTB300	10 x 14/16" pizzas	457 x 432 x 559mm

Delivery Backpack

- Adjustable backpack straps are ideal for bike and scooter delivery.
- Integrated plastic frame for lightweight bag stability.
- Metal steam exhaust port releases moisture without releasing heat.



Delivery Backpack

CODE	W x D x H
VDBBM300	406 x 406 x 330mm

Heat Pad for Food Delivery Bags

- Preheats the delivery bag to better maintain food quality and extend the delivery range.
- Ideal for food delivery services that want to deliver dine-in quality to the customer's doorstep.
- Heat pad slips into a pocket inside the Vollrath delivery bags and the cord exits through a grommet in the bag.
- To preheat the bag, simply connect the heat pad to the included AC power cord.




Heat Pad for Food Delivery Bags

CODE	DESCRIPTION
VAC1212	Heat pad

CrystalCraft™ Undercounter Icemaker

Manitowoc's CrystalCraft offers clear, individual 1x1" cubes that melt slowly, enhancing the flavour and enjoyment of the most prestigious cocktails. With high production and storage, this sleek undercounter is the perfect solution for the most challenging operations.



- New CrystalCraft™ cube is pure and clear making it perfect for premium cocktails.
- The 1x1" square cube ice adds to the presentation of the drink and differentiates it from the competition.
- Sleek undercounter design is ideal for contemporary bars and restaurants.
- Simple one-touch cleaning makes life easy for busy operators.
- Heavy-duty stainless-steel cabinet resists corrosion.
- Designed with fewer moving parts to replace.
- Energy-efficient R290 refrigerant.
- Air-cooled as standard.
- Adjustable legs as standard (4.5" – 6").

CrystalCraft™ Icemaker

Undercounter icemaker with integral storage. Air cooled condenser.

CODE	PROD. 24 HRS	STORAGE	W x D x H
USP0100A	45kg	17kg	500 x 580 x 952mm

CrystalCraft™ Accessories

CODE	DESCRIPTION
AR-10000-P	Water Filter

SOTTO™ Series Undercounter Icemakers



NEW SOTTO ICEMAKERS YIELD UP TO 43% MORE ICE

- Redesigned refrigeration system yields up to 43% more ice.
- Compact, attractive undercounter icemakers.
- Air-cooled as standard.
- Front breathing facilitates installation undercounter or as built-in.
- Easy access door, slides up and out of the way.
- Levellers come as standard, with adjustable legs optional.
- Slide-out air filter.
- Intuitive control system.
- High-grade stainless steel exterior.
- Supplied with R290, the energy-efficient, environmentally-friendly refrigerant.
- No side clearance required.

Sotto Series Icemakers

Undercounter icemaker with integral storage. Air cooled condenser.

CODE	PROD. 24 HRS	STORAGE	W x D x H
UGP020A	22kg	5.5kg	450 x 475 x 650mm
UGP030A	32kg	5.5kg	450 x 475 x 650mm
UGP040A	53kg	14kg	550 x 550 x 800mm
UGP050A	57kg	14kg	550 x 550 x 800mm
UGP080A	76kg	30kg	700 x 600 x 900mm



HEIGHTS SHOWN DO NOT ACCOUNT FOR LEVELERS

Sotto Series Accessories

CODE	DESCRIPTION
AR-10000-P	Water Filter for use with UG Series
K00345	Set of Adjustable Legs (H114 - 152mm)
VCL24S	3.8-litre Condensate Pump

NEO™ Series

Integral Storage Icemakers



- Power**
 - NEO undercounter ice machines are designed to provide ice right where you need it – within reach.
 - Power indicator illuminates once pressed so that operators can see at a glance if the machine is in ice making mode.
- Delay**
 - Delay feature allows operators to make ice only when needed lowering water and energy costs.
- Clean**
 - Clean button indicates when the machine is in a cleaning cycle.
- Full Bin**
 - Full bin indicator illuminates when harvested ice.
- Service**
 - Easy access angled door makes scooping ice easier supplied with R290, the energy-efficient, environmentally-friendly refrigerant.



ICEMAKER EVAPORATOR

ICEMAKER COMPRESSOR

ALL OTHER COMPONENTS

NEO Series Icemakers Available in Regular, Dice and Half Dice cube sizes - Dice as standard.

Dice NEO Series Icemakers

CODE	PROD. 24 HRS	BIN OPTIONS	W X D X H
UDP0140A	60kg	40kg	660 x 724 x 977mm
UDP0240A	87kg	36kg	660 x 724 x 977mm
UDP0310A	119kg	54kg	762 x 724 x 977mm

Half Dice NEO Series Icemakers

CODE	PROD. 24 HRS
UYPO140A	60kg
UYPO240A	87kg
UYPO310A	117kg

NEO Accessories

CODE	DESCRIPTION
AR-10000-P	Water Filter
VCMA20S	2-litre Condensate Pump
K00445	Short Leg Kit
K00519	Luminice Growth Inhibitor Kit



SHORT LEG KIT



U80 Series

Integral Storage Icemakers

- Compact size for easy placement under counters.
- Easy access door, slides up & out of the way.
- Patented cleaning and sanitising technology.
- Includes Manitowoc's proven vertical evaporator.
- Front air intake and exhaust.
- Levellers come as standard, with adjustable legs optional.



U80 Series Icemakers Air cooled as standard. Produces dice ice.

CODE	PROD. 24 HRS	STORAGE	W X D X H
UDP0080A	46kg	14kg	500 x 567 x 790mm

Flake and Nugget Icemakers



MODULAR
UNITS
AVAILABLE



FLAKE ICE

Flake

- Offers small, hard bits of ice ideally for presentation applications.
- Flake ice forms completely around the contact item and cools quickly.

Nugget

- Bite-size nugget that boasts one of the industry's best ice to water ratios for nugget ice, maximising cooling capacity while minimising drink dilution.
- Perfect for carbonated beverages and blended smoothies.
- Undercounter installation: UNP0200A for kitchen counters, UNP0300A for bar height counters.

- High load capacity bearings for enhanced reliability.
- Heavy-duty stainless steel cabinet resists corrosion.
- Easy access door, slides up and out of the way.



NUGGET ICE

Flake and Nugget Icemakers Air cooled as standard.

CODE	ICE TYPE	PROD. 24 HRS	STORAGE	W X D X H
UFP0244A	Flake	125kg	20kg	500 x 660 x 842mm
UFP0388A	Flake	175kg	40kg	738 x 690 x 1072mm
UFP0399A	Flake	175kg	55kg	738 x 690 x 1172mm
UNP0200A	Nugget	90kg	14kg	500 x 660 x 842mm
UNP0300A	Nugget	142kg	27kg	738 x 690 x 1004mm

Countertop Nugget Ice Maker & Dispenser



NUGGET ICE

- Trouble-free ice dispensing, simply place cup under chute and press button to activate.
- Compact space-saving design.
- Stainless steel front panel for easy cleaning and reduced hardwater staining in the dispense area.
- Removable and cleanable water drip basin.
- Hidden connections for better aesthetics.



Countertop Nugget Ice Maker & Dispenser

CODE	ICE TYPE	PROD. 24 HRS	STORAGE	W X D X H
CNP0200A	Nugget	88kg	5kg	396 x 708 x 871mm

INDIGO[®] NXT

The next generation ice machine...

WARRANTY
5 YEARS
PARTS & LABOUR
ICEMAKER
EVAPORATOR

WARRANTY
5 YEARS
PARTS
ICEMAKER
COMPRESSOR

WARRANTY
3 YEARS
LABOUR
ICEMAKER
COMPRESSOR

WARRANTY
3 YEARS
PARTS & LABOUR
ALL OTHER
COMPONENTS

> Next level of simplicity

- New easyTouch[®] display provides full status of ice machine at all times.
- 240x320 pixels, 262K colour, 2.8" diagonal reflective touch display.
- Features include: ice machine operating status, step-by-step cleaning instructions, one-touch access to asset information and a startup wizard.
- Multiple languages available.



> Next level of sanitation

- New ice storage D Bin, with hinged door that swings open.
- Front-facing evaporator allows easy access to food zone without removing top or side covers.
- Optional integrated advanced sanitation solution Luminice[®] II keeps food zone cleaner longer.
- New ergonomic NSF scoop keeps the thumb and knuckles from touching the ice.



> Next level of reliability



- Over half a million hours of testing in the development of Indigo NXT.
- New reliability and HALT used to ensure that all machines will provide years of outstanding service.
- EasyTouch display provides service data.
- Firmware functional upgrades are easily made through control board USB port.



> Next level of energy efficiency

- Up to 43% more energy efficient than previous models, significantly lowering the cost of ownership.
- All models are AHRI certified and exceed the stringent 2018 DOE minimums for energy usage.
- Environmentally friendly R410A refrigerant incorporated in many models, with 48% less global warming potential than previous models.
- Programmable ice production and scheduling – including documenting ice volume, the on/off time and bin level – help reduce the day-to-day running costs of operation including energy use, water consumption and electricity.





Indigo NXT Series Icemakers Modular Icemakers. Air cooled as standard. Available in Dice & Half Dice cube sizes.

Dice Indigo NXT Series Icemakers

CODE	PROD. 24 HRS	BIN OPTIONS	W X D X H
IDT0300A	137kg	D400	762 x 622 x 419mm
IDP0320A	138kg	D320 or D420	558 x 622 x 546mm
IDT0420A	204kg	D320 or D420	559 x 622 x 546mm
IDT0450A	200kg	D400 or D570	762 x 601 x 546mm
A IDT0620A	243kg	D320 or D420	559 x 622 x 546mm
IDP0500A	191kg	D400 or D570	762 x 622 x 546mm
IDT0750A	270kg	D400 or D570	762 x 622 x 546mm
IDT0900A	381kg	D570 or D970	762 x 622 x 673mm
IDT1200A	524kg	D570 or D970	762 x 622 x 749mm
IDT1500A	674kg	D970	1219 x 622 x 749mm
IDT1900A	819kg	D970	1219 x 622 x 749mm

Half Dice Indigo NXT Series Icemakers

CODE	PROD. 24 HRS
IYT0300A	136kg
IYP0320A	145kg
IYT0420A	204kg
IYT0450A	209kg
IYT0620A	243kg
IYP0500A	200kg
IYT0750A	283kg
IYT0900A	378kg
IYT1200A	544kg
IYT1500A	674kg
IYT1900A	819kg

Ice Storage Bins

CODE	STORAGE	W x D x H
D320	95kg	559 x 864 x 965mm
D400	132kg	762 x 864 x 965mm
B D420	141kg	559 x 864 x 1270mm
D570	195kg	762 x 864 x 1270mm
D970	323kg	1219 x 864 x 1270mm

Indigo NXT Series Accessories

CODE	DESCRIPTION
C AR-10000-P	Arctic Pure™ Water Filter for use with iT0300 - iT0750
AR-20000-P	Arctic Pure™ Water Filter for use with iT900
AR-40000-P	Arctic Pure™ Water Filter for use with iT1200 - iT1900
K00464	LuminIce II Growth Inhibitor kit for IT420 - IT1200
K00465	LuminIce II Growth Inhibitor kit for IT1500 - IT1900
K00470	Bin Adaptor Kit when using IDT0500A - IDT1200A w/D970



OPPOSITE AR-1 0000-P WATER FILTER - HIGHLY RECOMMENDED FOR USE WITH ALL ICE MACHINES.

M Series Modular Icemakers

Affordable reliability.

Whether you're starting a new restaurant, needing to replace an existing ice machine, or deciding to add an additional ice machine to your operation. M Series modular ice machines provide you with the essential features that you need with the reliability you expect at a price that fits your budget.



M series ice machines are designed from the ground up to meet your operational demands for a worry-free, simple-to-use, essential ice machine; but that doesn't mean it cuts corners on quality. Instead, it uses a combination of engineering experience and manufacturing expertise to create an affordable, reliable ice machine at a price that's well within reach.

Easy to use

- There are only three controls: on, off and clean.

Easy to clean

- Access to evaporator and food zone is simple with the removal of just two screws and the opening of the hinged door.

Easy to maintain

- Parts that need cleaning can be removed without tools. The water shield, distribution tube, pump floats and even the trough can be removed by hand.

M Series Ice Makers Modular Icemakers. Air cooled as standard. Available in Dice & Half Dice cube sizes.

CODE	PROD. 24 HRS	ICE TYPE	BIN	W X D X H
MDT0420A	176kg	Dice	D420	559 x 622 x 546mm
MYT0420A	166kg	Half Dice	D420	559 x 622 x 546mm
MDT0500A	214kg	Dice	D400	762 x 622 x 546mm
MYT0500A	226kg	Half Dice	D400	762 x 622 x 546mm
MDP0700A	281kg	Dice	D570	762 x 622 x 456mm
MYP0700A	293kg	Half Dice	D570	762 x 622 x 456mm
MDT1000A	437kg	Dice	D570	762 x 622 x 749mm
MYT1000A	445kg	Half Dice	D570	762 x 622 x 749mm



Serve Smarter with the IxD™ Sauce Dispenser Series

new



Presenting the Server IxD™ Series, powered by SmartWares® Technology and engineered to deliver upon Server's Core Four™ Platform – Speed of Service, Efficiency, Consistency and Simplicity. It's not just smart, it's a whole new level of style and operational excellence.

Sauce+ Sauce Dispenser

Single-touch dispensing delivers precise portions of customer's favourite sauce recipes and optimises front-of-house and back-of-house operations within a modular space-saving design.

- Portioning of ambient sauce from direct pour 83oz bin.
- Dispense into portion cup or directly onto menu item.
- Intuitive control panel enables quick menu item selection and dispense and easy product refills.
- Three factory preset recipe portions: Small, Medium and Large plus a push-and-hold free pour button.
- SmartWares® Technology platform has the ability to be IoT enabled with Wi-Fi connectivity for real-time monitoring of key performance metrics.
- User interface prompts when product is low and aids with clean-in-place steps.
- User interface can be customised for specific menu options and portions.



Sauce+ Sauce Dispenser

CODE	DESCRIPTION	CAPACITY	W X D X H
SAUCEPLUS	Direct Pour	2.45L	100 x 450 x 284mm

Single+ and Multi+ Condiment Direct Pour Dispensers

new



SINGLE+ ALLOWS FOR SINGLE CONDIMENT DISPENSING.



MULTI+ CAN DISPENSE UP TO 6 CONDIMENTS FROM A SINGLE AUTOMATED SYSTEM.

- Use as a front-of-house self-serve condiment station or back-of-house for prepping menu items or filling portion cups.
- User friendly interface includes graphics, cleaning prompts and product change instructions.
- Push-and-hold button activation is standard but precise portions can be customised for roll-outs.
- SmartWares® Technology platform has the ability to be IoT enabled with Wi-Fi connectivity for real-time monitoring of key performance metrics.
- Small countertop footprint.

Single+ and Multi+ Condiment Direct Pour Dispensers

CODE	DESCRIPTION	CAPACITY	W X D X H (ABOVE COUNTER)
SINGLEPLUS	Single Countertop Dispenser w/Drip Tray	5.7L	121 x 205 x 296mm
MULTIPLUS	Six Sauce Countertop Dispenser w/Drip Tray	6 x 5.7L	148 x 240 x 413mm

Flavor+ Syrup Dispenser

Dispense precise portions of up to 14 syrup and sauce flavours and maximise workflow with one unit that creates a complete menu of perfectly sweet beverages.

- For back-of-house beverage order preparation.
- Dispense directly from up to 14 food product containers.
- Internal holding racks are configurable for flexibility with different food container types.
- Intuitive control panel enables quick menu item selection and dispense as well as easy product refills and clean-in-place procedure prompts.
- Configurable portions in 1/8oz increments up to 5oz maximum portion.
- SmartWares® Technology platform has the ability to be IoT enabled with Wi-Fi connectivity for real-time monitoring of key performance metrics.



FOR MORE SAUCE AND CONDIMENT PUMP DISPENSING STATIONS PLEASE VISIT FEM.CO.UK

Flavor+ Syrup Dispenser

CODE	DESCRIPTION	CAPACITY	W X D X H
FLAVORPLUS	Sauce & Syrup Dispenser	10 Flavours (4 Thin, 6 Thick)	324 x 537 x 804mm

Venue™ In-Counter Napkin Dispenser

- Patented one-at-a-time dispensing reduces napkin waste.
- Control face restricts napkin use, saving up to 30%.
- High Capacity, holds over 750 napkins.
- Ability to convert easily from full fold to interfold napkins.
- Adaptor allows the dispenser to fit into existing counter hole cutouts.
- ABS plastic and 22 gauge stainless steel construction.



A Venue™ In-Counter Napkin Dispenser

CODE	DESCRIPTION	CAPACITY	W x D x H
H2003CLSS	Interfold	750+	178 x 140 x 498mm
H2005CLBK	Fullfold/Control Face	750+	224 x 184 x 515mm

In-Counter Napkin Dispensers

- Space-saving design for under counter, provides a neat, professional appearance.
- Durable.
- One-at-a-time dispensing.
- Face 18-gauge steel and ABS plastic; 22-gauge stainless steel body.





B In-Counter Napkin Dispenser

CODE	DESCRIPTION	CAPACITY	W x D x H
H2000 SS	Minifold	750+	178 x 140 x 498mm
H2001 XC, SS	Fullfold/Classic	750+	178 x 140 x 498mm
H2005CLSS	Fullfold/Control	750+	178 x 140 x 498mm
H2003CLSS	Interfold/Control	750+	178 x 140 x 498mm

Colour Code

CODE	FRONT FACE	FRAME
XC	Chrome	Chrome
CLBK	Clear	Black
CLSS	Clear	Stainless Steel
SS	Stainless Steel	Stainless Steel
SC	Satin Chrome	Satin Chrome

IN-COUNTER NAPKIN COUNTER HOLE DIMENSIONS



■ WITH ADAPTOR

Choosing your cup dispenser...



Sentry® Adjustable Cup Dispensers combine precise 'one-size-fits-all' dispensing with no wear parts to replace and a variety of smart sanitation features. An attractive trim ring prevents customer tampering and patent-pending features like our lifetime dispensing levers prevent cup damage during loading and dispensing.



EZ-Fit® Cup Dispensers feature an innovative gasket that provide precise, yet smooth dispensing, providing a complete seal around the rim of the cup to help prevent cross-contamination. This dispenser also handles the largest range of cup sizes (1/2 oz to 64oz).




Stainless Steel Cup Dispensers are made to last. Constructed from 26-gauge stainless steel, these dispensers are attractive, durable and built to stand the test of time. Patented adjustable collar easily conforms to your cup size.



NO WEAR PARTS

SIMPLE ADJUSTMENT FOR ANY CUP

PAPER, FOAM OR PLASTIC



INNOVATIVE CONTAMINATION GUARD PREVENTS DEBRIS FROM ENTERING DISPENSER.



Sentry® Adjustable Dispensers

- Simple: 'set it and forget it' operation provides easy and exact adjustment (even with cups loaded), while attractive trim ring prevents customer tampering.
- Prevents cup damage: Adjustable Lifetime Levers™ are engineered with a revolutionary design that prevents marring of cups, while providing smooth, one-at-a-time dispensing. Lifetime Lever™ angled construction also prevents damage to cups while loading.
- Prevents Contamination: Innovative Contamination Guard prevents debris from entering dispenser and Food Safety Blue transparent tube allows for fast cleanliness check.

One-Size-Fits-All Sentry® Cup Dispenser

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C5450C	8-44oz/236-1301ml	79-114mm	603mm
C5450C18	8-44oz/236-1301ml	79-114mm	457mm

Construction: high-impact plastic.

Euro Sentry® One-Size-Fits-All Cup Dispenser

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C5250C	4-24oz/118-710ml	62-92mm	603mm
C5250C18	4-24oz/118-710ml	62-92mm	457mm

Construction: high-impact plastic.



C5450C COUNTER HOLE DIMENSIONS




C5250C COUNTER HOLE DIMENSIONS

FOR MULTIPLE IN-COUNTER UNITS LEAVE A 184MM SPACE BETWEEN C5450C UNITS AND 159MM SPACE BETWEEN C5250C UNITS.



PREVENT THIS! SENTRY® CUP DISPENSERS WILL NOT DAMAGE CUP EDGES - PREVENTING LEAKS AND SPILLS.



FOOD SAFETY BLUE TRANSPARENT TUBE. ALLOWS FOR A FAST CLEANLINESS CHECK.

EZ-Fit® Cup Dispensers

EZ-Fit® Dispensing – One-at-a-time smooth dispensing with the ease of changing cup sizes without having to change dispensers.

These cup dispensers combine innovative design and superior functionality by utilizing a patented dispensing system, you can easily change cup sizes without having to change dispensers or sacrifice dispensing function. Each EZ-Fit® Cup Dispenser includes a gasket pack to handle a wide range of cup sizes. Available as a counter mount, surface mount or inbox systems.



A One-Size-Fits-All EZ-Fit®

CODE	CUP SIZE	RIM DIAMETER	TUBE LENGTH
C2410C	8-46oz/236-1360ml	73-121mm	597mm
C2410C18	8-46oz/236-1360ml	73-121mm	457mm
C2410SM*	8-46oz/236-1360ml	73-121mm	597mm

Construction: high-impact plastic. * Surface mount model.



B Euro EZ-Fit® offers the benefits of the one-size-fits-all EZ-Fit® in a smaller, more compact footprint.

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C2210C	6-24oz/178-710ml	73-94mm	603mm
C2210C18	6-24oz/178-710ml	73-94mm	457mm
C2210SM*	6-24oz/178-710ml	73-94mm	457mm

Construction: high-impact plastic. * Surface mount model.

C Portion Cup EZ-Fit®

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C2010C	0.5-2.5oz/15-70ml	38-59mm	406mm

Construction: high-impact plastic



C2210 C IN USE



C2210 SM IN USE



C2010 C IN USE

Which stainless steel dispenser do I need?

- 1 Measure the rim diameter of your cup
- 2 Choose cup type
- 3 Choose mounting position
- 4 Select correct item number using your rim diameter



Stainless Steel Cup Dispensers

A Counter-Mount Adjustable Beverage Cup Dispensers

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C3200CF, C3200CH, C3200CV	6-10oz/180-300ml	56-81mm	597mm
C3400CF, C3400CH, C3400CV	12-24oz/350-710ml	70-98mm	597mm
C3500CH, C3500CV	32-46oz/950-1360ml	101-124mm	597mm

Construction: 26-gauge 304 stainless steel; 457mm tube available upon request



B Pull-Type Adjustable Beverage Cup Dispensers

CODE	APPROX. CUP SIZE	CUP RIM DIAMETER	TUBE LENGTH
C3200P	6-10oz/180-300ml	56-81mm	597mm
C3400P	12-24oz/350-710ml	70-98mm	597mm
C3500P	32-46oz/950-1360ml	101-123mm	597mm

Construction: 26-gauge 304 stainless steel; Includes brackets for wall mounting

EZ-Fit® In-Counter Hot Lid Dispensers

Perfect for use in quick service restaurants, convenience stores and food courts. Easy to use and simple to operate, the EZ-fit® hot lid dispenser is your set it and forget it solution.

- One-at-time rubber dispensing gaskets safeguard lids from contamination.
- Reduces lid waste and eliminates messy stacks.
- The in-counter mount can be oriented horizontally or vertically, keeping countertops organised.
- Compatible with a variety of lid shapes and sizes.



L2210



L2410

COUNTER HOLE DIMENSIONS

EZ-Fit® In-Counter Hot Lid Dispensers

CODE	LID Ø	TUBE Ø	TUBE LENGTH
A L2210	76–95mm	121mm	590mm
B L2410	95–101mm	143mm	590mm

In-Counter Lid Dispensers and Box Systems

Stacking lids on your counter not only looks messy; it can cost you money in wasted lids and increase the risk of foodborne illness. EZ-Fit® Lid Dispensers make it easy to clean up your counters and improve your operation with a simple, sanitary lid handling solution. The NB EZ-Fit® Lid Dispenser is intended for use with flat, cold beverage lids only. May not be compatible with all lid types.

C In-Counter Lid Dispensers

CODE	LID RIM DIAMETER	APPROX. CUP SIZE	TUBE LENGTH
L2200C	70–95mm	8–24oz/236–710ml	603mm
L2400C	95–114mm	24–46oz/710–1360ml	603mm

Construction: high impact plastic



L2400C



L2200C

COUNTER HOLE DIMENSIONS

Wall-Mount and Box System Lid Dispensers

D Wall Mount Lid Dispensers

CODE	CAPACITY	MAX. LID Ø	APPROX. LID SIZE	TUBE LENGTH
L3200	1 sleeve	89mm	6–10oz/180–300ml	597mm
L3400	1 sleeve	101mm	12–24oz/350–710ml	597mm

Construction: 22-gauge 304 stainless steel

E Box Systems Lid Dispensers

CODE	DESCRIPTION	W x D x H
L2910	(1) L2200C	197 x 645 x 197mm
L2920	(1) L2400C	197 x 645 x 197mm

Construction: high impact plastic



L2920

LidSaver 3 Dispenser



LidSaver™ 3 In-Counter Lid Dispensers

- Maximise limited space at busy dispenser stations with the LidSaver™ 3.
- Simple-to-use design allows customers to fill beverages and put on a lid using only one hand.
- Stylish look creates a noticeably more hygienic service in a clean and tidy environment.
- Overload protection added to prevent lids from getting stuck together.

In-Counter Lid Dispenser

CODE	DESCRIPTION	LID DIAMETER	LENGTH	CUT OUT
LS03IB	Horizontal	83 – 95mm	585mm	Ø140mm
LS03IVB	Vertical	83 – 95mm	585mm	Ø140mm
LS03PB	Horizontal	97 – 121mm	585mm	Ø140mm
LS03PVB	Vertical	97 – 121mm	585mm	Ø140mm

Mini In-Counter Lid Dispenser

CODE	DESCRIPTION	LID DIAMETER	LENGTH
LS03MS18B	Horizontal	44–81mm	457mm



LidSaver™ Dispenser Display

Configurable cabinets to dispense a variety of lid types such as cold drink, hot drink, tabbed, domed, contoured, slotted, gourmet coffee, soup cup all in a variety of lid sizes.

Please contact our office for more information.



Also Available



Modular Bulk FIFO Dispenser

- Top loading, bottom dispensing for first-in, first-out use.
- Removable divider to allow horizontal plastic flatware dispensing.
- High capacity condiment dispensing to reduce labour spent refilling.

Modular Bulk FIFO Dispenser


CODE	W X D X H
MODBFD	227 x 306 x 421mm



Coffee Sleeve Dispenser

Coffee Sleeve Dispenser Black ABS plastic.

CODE	DESCRIPTION	W X D X H
CSLV-1	Vertical	165 x 122 x 251mm



Flush Mount Dispensers

Flush Mount Dispensers Black ABS plastic.

CODE	DESCRIPTION	W X D X H
FMS-7	200 capacity straw dispenser	268 x 114 x 187mm
FMF-3	Flatware holder	165 x 122 x 251mm



In-Counter Dispenser and Trash Chute

A Straw Dispenser

CODE	OUTER DIAMETER	CUT OUT HOLE	TUBE LENGTH
L320C	Ø136mm	106mm	152mm

Construction: 22-gauge 304 stainless steel

B Large Trash Chute

CODE	OUTER DIAMETER	CUT OUT HOLE	TUBE LENGTH
L360C	Ø170mm	153mm	133mm



Portion Cup & Lid Organiser

Portion Cup & Lid Organiser Removable dividers for easy cleaning. Non-slip rubber feet. Dishwasher safe. Adjustable to fit 2–3” cups and lids.

CODE	DESCRIPTION	W X D X H
A PCL3ADJ	Adjustable to fit 2–3” cups and lids	290 x 250 x 95mm



Countertop Condiment Organisers

Countertop Condiment Organisers Black ABS plastic and smoked acrylic.

CODE	DESCRIPTION	W X D X H
B CFIFO-4	4 section condiment holder	422 x 257 x 419mm
C CTCPAN3-6	3 x 1/6 clear plastic pans	195 x 533 x 371mm
D CTC-3X2V	Vertical condiment stand	289 x 270 x 416mm
E CTC-4V	4 high vertical condiment stand	151 x 270 x 527mm



Organisers

Organisers Use to store non-perishable condiments, flatware and napkins. To order Black add 110 to item code or for speckled grey add 480.

CODE	DESCRIPTION	W X D X H
F 6RS6	6-compartment	511 x 488 x 241mm
12RS12	12-compartment	648 x 543 x 362mm
5412CBP	Bin Only	130 x 305 x 110mm

Condiment & Straw Organizer Construction: high impact plastic.

CODE	DESCRIPTION	W X D X H
G L2900	(fits on all Dimensions cabinets)	208 x 637 x 241mm



Bulk Straw Dispensers

Bulk Straw Dispensers High capacity organiser. Removable lid & tray for easy cleaning.

CODE	DESCRIPTION	CAPACITY	W X D X H
ST500	Double-Sided	500	203 x 254 x 200mm
ST250	Single-Sided	250	203 x 254 x 108mm



F O O D s e r v i c e™
E Q U I P M E N T M A R K E T I N G

10 Carron Place
Kelvin Industrial Estate
East Kilbride
Glasgow G75 0YL

Call 01355 244 111
Email sales@fem.co.uk
Visit www.fem.co.uk
Follow     

